

CAMELEON MAXI 1



indoor lighting

Ceiling recessed luminaire
 BODY: painted steel sheet
 DIFFUSER: transparent plastic
 REFLECTOR: metallized PC
 POWER SUPPLY: remote electronic power supply
 3xS TECHNOLOGY: save money, save energy, save time
 CONFIGURATION: the luminaire can be configured with many different options




image not found or type unknown

image not found or type unknown

Specular facetted reflector, DALI version, white, IP20, 24° light distribution, FRAME

C3300016RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400016RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular facetted reflector, DALI version, white, IP20, 24° light distribution, FRAME, tilted 3 steps

C3300116RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

C3400116RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP20, 24° light distribution, RING						
C3300006RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400006RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP20, 24° light distribution, RING, tilted 3 steps						
C3300106RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400106RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP20, 38° light distribution, FRAME, tilted 3 steps						
C3310016RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3310116RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410016RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
C3410116RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP20, 38° light distribution, RING						
C3310006RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410006RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP20, 38° light distribution, RING, tilted 3 steps						
C3310106RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410106RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP20, 60° light distribution, FRAME						
C3320016RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420016RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettet reflector, DALI version, white, IP54, 60° light distribution, FRAME, tilted 3 steps						
C3320116RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00

C3420116RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP20, 60° light distribution, RING						
C3320006RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420006RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP54, 60° light distribution, RING, tilted 3 steps						
C3320106RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420106RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP54, 24° light distribution, FRAME						
C3300216RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400216RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP54, 24° light distribution, RING						
C3300206RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400206RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP54, 38° light distribution, FRAME						
C3310216RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410216RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP54, 38° light distribution, RING						
C3310206RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410206RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, DALI version, white, IP54, 60° light distribution, RING						
C3320206RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420206RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular faceted reflector, ON/OFF version, white, IP20, 24° light distribution, FRAME						

C3300011RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400011RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 24° light distribution, FRAME, tilted 3 steps						
C3300111RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400111RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 24° light distribution, RING						
C3300001RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400001RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 24° light distribution, RING, tilted 3 steps						
C3300101RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400101RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 38° light distribution, FRAME						
C3310011RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410011RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 38° light distribution, FRAME, tilted 3 steps						
C3310111RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410111RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 38° light distribution, RING						
C3310001RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410001RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
Specular facettted reflector, ON/OFF version, white, IP20, 38° light distribution, RING, tilted 3 steps						
C3310101RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410101RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP20, 60° light distribution, FRAME

C3320011RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420011RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, DALI version, white, IP20, 60° light distribution, RING, tilted 3 steps

C3320111RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420111RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP20, 60° light distribution, RING

C3320001RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420001RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP20, 60° light distribution, RING, tilted 3 steps

C3320101RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3420101RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP54, 24° light distribution, FRAME

C3300211RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400211RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP54, 24° light distribution, RING

C3300201RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3400201RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP54, 38° light distribution, FRAME

C3310211RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
C3410211RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00

Specular faceted reflector, ON/OFF version, white, IP54, 38° light distribution, RING

C3310201RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

C3410201RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

Specular facettet reflector, ON/OFF version, white, IP54, 60° light distribution, FRAME

C3320211RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

C3420211RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

Specular facettet reflector, ON/OFF version, white, IP54, 60° light distribution, RING

C3320201RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

C3420201RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

Specular facettet reflector, DALI version, white, IP54, 60° light distribution, FRAME, tilted 3 steps

C3320216RAL9016	CAMELEON MAXI 1 160	LED 3000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------

C3420216RAL9016	CAMELEON MAXI 1 160	LED 4000K	3000 lm	230V AC	30W	1.00
-----------------	------------------------	-----------	---------	---------	-----	------